OPENNET – VII

Entrance Examination for Post Basic B.Sc. Nursing Programme 2017

September, 2017

Total No. of Questions : 120

Time : 150 Minutes $(2\frac{1}{2} Hours)$

- All questions are *compulsory*.
- Questions are based on General Nursing Midwifery (GNM) Syllabus prescribed by Indian Nursing Council (INC).

1

• The total number of items will be 120 of *one* mark each.

Read the instructions given on the OMR Response Sheet carefully.

OPENNET-VII/Sept. 2017

P.T.O.

How to fill up the information on the OMR Response Sheet

(Examination Answer Sheet)

- 1. Write your complete Enrolment No. in 9 digits. This should correspond to the enrolment number indicated by you on the OMR Response Sheet. Also write your correct name, address with pin code in the space provided. Put your signatures on the OMR Response Sheet with date. Ensure that the Invigilator in your examination hall also puts his/her signatures with date on the OMR Response Sheet at the space provided.
- 2. On the OMR Response Sheet student's particulars are to be filled in **with pen**. However **use HB pencil** for writing the Enrolment No. and Examination Centre Code as well as for blackening the circle bearing the correct answer number against the serial number of the question.
- 3. Do not make any stray remarks on this sheet.
- 4. Write correct information in numerical digits in Enrolment No. and Examination Centre Code Columns. The corresponding circle should be dark enough and should be filled in completely.
- 5. Each question is followed by four probable answers which are numbered (1), (2), (3) and (4). You should select and show only one answer to each question considered by you as the most appropriate or the correct answer. Select the most appropriate answer. Then by using HB pencil, blacken the circle bearing the correct answer number against the serial number of the question.
- 6. If you wish to change your answer, ERASE completely the already darkened circle by using a good quality eraser and then blacken the circle bearing your revised answer number. If incorrect answer is not erased completely, smudges will be left on the erased circle and the question will be read as having two answers and will be ignored for giving any credit.
- 7. No credit will be given if more than one answer is given for one question. Therefore, you should select the most appropriate answer.
- 8. You should not spend too much time on any one question. If you find any particular question difficult, leave it and go to the next. If you have time left after answering all the questions, you may go back to the unanswered ones. There is no negative marking for wrong answers.

GENERAL INSTRUCTIONS

- 1. No cell phones, calculators, books, slide-rules, note books or written notes, etc. will be allowed inside the examination hall.
- 2. You should follow the instructions given by the Centre Superintendent and by the Invigilator at the examination venue. If you violate the instructions, you will be disgualified.
- 3. Any candidate found copying or receiving or giving assistance in the examination will be disgualified.
- 4. The Test Booklet and the OMR Response Sheet (Answer Sheet) would be supplied to you by the Invigilators. After the examination is over, you should hand over the OMR Response Sheet to the Invigilator before leaving the examination hall. Any candidate who does not return the OMR Response Sheet will be disqualified and the University may take further action against him/her.
- 5. All rough work is to be done on the test booklet itself and not on any other paper. Scrap paper is not permitted. For arriving at answers you may work in the margins, make some markings or underline in the test booklet itself.
- 6. The University reserves the right to cancel scores of any candidate who impersonates or uses/adopts other malpractices or uses any unfair means. The examination is conducted under uniform conditions. The University would also follow a procedure to verify the validity of scores of all examinees uniformly. If there is substantial indication that your performance is not genuine, the University may cancel your score.
- 7. Candidates should bring their hall tickets duly issued by the Registrar. In the event of your qualifying the Entrance Test, this hall ticket should be enclosed with your admission form while submitting it to the University for seeking admission in Post Basic B.Sc. Nursing Programme along with your testimonials and programme fee. Admission forms received without hall ticket in original will be summarily rejected.

- 1. In communication process, response from receiver to sender is called
 - (1) Message (2) Encoding
 - (3) Feedback (4) Context
- 2. The advantages of bulletin board are all *except*
 - (1) Effective for displaying textual and pictorial materials
 - (2) Explain important events
 - (3) Highlight important information to large groups
 - (4) Serves as introduction to a particular topic
- **3.** Which method of teaching is alternative to the lecture method ?
 - (1) Group discussion (2) Symposium
 - (3) Panel discussion (4) Demonstration
- 4. The limitations of demonstration method of teaching are all except
 - (1) Needs special skills for some procedures
 - (2) Helps theory and practice correlation
 - (3) Not useful if students are inattentive
 - (4) Students may blindly follow the lab manual

5. To clarify concepts to students the teacher must use

- (1) Lesson plan (2) Teaching aids
- (3) Unit plan (4) Curriculum
- 6. When every study population subject has an equal chance to be selected as a sample for research study, it is known as
 - (1) Control (2) Randomization
 - (3) Manipulation (4) Variable
- 7. Which of the following is *not* true for normal distribution ?
 - (1) It is a bell shaped curve
 - (2) Maximum frequency at the centre
 - (3) It is by virtue of a large sample
 - (4) Mean ± 1 SD limits include 95.45% of observations

8. If scores of a sample are distributed as 4, 6, 8, 3, 7, 8, 3, 9, 6, the mean is

- (1) 6 (2) 8
- (3) 7 (4) 9
- 9. The research tool which is to be filled by a study subject is referred as
 - (1) Interview schedule (2) Questionnaire
 - (3) Observation check-list (4) Rating scale

10. Research in which a researcher makes changes in an independent variable and studies their effects on dependent variable under controlled conditions is called as

- (1) Experimental research (2) Non-experimental research
- (3) Ethnographic research (4) Analytical research
- 11. In administration, principle of division of work is essential because
 - (1) Workers do not like interference
 - (2) It provides job satisfaction
 - (3) Administrator cannot do all the work by himself
 - (4) It prevents overlapping of work

12. Span of control stands for

- (1) Rule of control from higher to lower
- (2) Number of subordinates an officer can effectively supervise
- (3) Total number of supervisors in an organisation
- (4) Delegation of power
- 13. In a general ward, the ratio of nurse and patient should be

(1)	1:3	(2)	1:10
(3)	1:6	(4)	1:7

14. Student-Teacher ratio in a GNM school as per INC norms is

(1)	1:7	(2)	1:15
(3)	1:10	(4)	1:20

- **15.** Job responsibilities of an ANM are all *except*
 - (1) Distribute iron and folic acid to women
 - (2) Home visits
 - (3) Conducting MTP independently
 - (4) Training Dai

- 16. The advantages of nursing audits are all except
 - (1) Results are easily communicated for improvement
 - (2) Can be used in all areas of nursing service
 - (3) It is time consuming
 - (4) Nurses can be involved in conducting audits
- 17. The importance of human relations in nursing is all except
 - (1) Increases productivity (2) Improves coordination
 - (3) Group cohesiveness (4) Group disintegration

18. South East Asia's WHO regional office is located at

- (1) Delhi (2) Mumbai
- (3) Hyderabad (4) Kolkata
- **19.** After completion of basic nursing education a nurse needs to register with which of the following to practise as RNRM ?
 - (1) Indian Nursing Council (2) State Nursing Council
 - (3) TNAI (4) Nursing Research Society
- 20. The administration of readymade antibodies is called as
 - (1) Natural active immunity
 - (2) Natural passive immunity
 - (3) Artificial active immunity
 - (4) Artificial passive immunity
- 21. WHO definition of health includes all dimensions except
 - (1) Physical well-being
 - (2) Social well-being
 - (3) Mental well-being
 - (4) Occupational well-being
- 22. Non-communicable diseases causation is best explained by
 - (1) Supernatural theory of disease
 - (2) Empirical theory of disease
 - (3) Multifactorial theory of disease causation
 - (4) Theory of relationship between disease and causative agents

23.	VDR	L test is done for diagnosis of		
	(1)	Tuberculosis	(2)	Diphtheria
	(3)	Syphilis	(4)	Typhoid
24.	How	much water can be disinfected with	n a tab	let of 0.5 gm chlorine ?
	(1)	5 litres	(2)	10 litres
	(3)	15 litres	(4)	20 litres
25.	Mar	toux test is used for screening of		
	(1)	AIDS	(2)	Malaria
	(3)	Tuberculosis	(4)	Hepatitis
26.	Incr	ease in the number of new cases of a	a parti	cular disease in a community leads to
	(1)	Increased prevalence rate	(2)	Increased incidence rate
	(3)	Mortality rate	(4)	Crude mortality rate
27.	Rice	-water type of stool is the typical sy	mptom	n of
	(1)	Dysentery	(2)	Cholera
	(3)	Malaria	(4)	Filaria
28.	Whi	ich of the measures given below is th	ne seco	ndary prevention for tuberculosis ?
	(1)	BCG vaccination	(2)	DOTS treatment
	(3)	XDR tuberculosis	(4)	MDR tuberculosis
29.	The	characteristic of an endemic diseas	e is	• •
	(1)	When a disease occurs in more tha	an one	area
	(2)	When a disease is constantly pres	ent in a	a geographical area
	(3)	When a disease occurs in more the	an the	expected frequency at a time
	(4)	When a disease occurs in a particu	ılar se	ason
30.	Mo	de of transmission of Hepatitis A is		
	(1)	Faeco-oral route	(2)	Blood products
	(3)	Sexual contact	(4)	Skin contact
31.	The	e host in which a parasite attains ma	aturity	or passes sexual stage is known as
	(1)	Definitive host	(2)	Intermediate host
	(3)	Incidental host	(4)	Index case
OP	ENNE	T-VII/Sept. 2017	7	P.T.O.

32.	En	Enlargement and tenderness of the parotid gland is seen in				
	(1)	Measles	(2)	Mumps		
	(3)	Rubella	(4)	Influenza		
33.	\mathbf{Sch}	lick test is used to diagnose				
	(1)	Measles	(2)	Mumps		
	(3)	Rubella	(4)	Diphtheria		
34.	The	e floating tip of iceberg phenomenor	n indicat	es		
	(1)	Diagnosed cases	(2)	Clinical cases		
	(3)	Latent cases	(4)	Hidden cases		
35.	All	the drugs are given orally under D	OTS pro	gramme except		
	(1)	Isoniazid	(2)	Rifampicin		
	(3)	Ethambutol	(4)	Viomycin		
36.	Wh	ich organ is most affected in malar	ia?			
	(1)	Liver	(2)	Spleen		
	(3)	Kidney	(4)	Heart		
37.	Ant	erior fontanelle closes by the age of	f			
	(1)	06 to 08 months	(2)	12 to 18 months		
	(3)	24 to 30 months	(4)	30 to 36 months		
38.	Fail	lure of foramen ovale to close will c	ause wh	at congenital heart disease ?		
	(1)	Anomalies of pulmonary artery	2			
	(2)	Pulmonary stenosis				
	(3)	Atrial septal defect				
	(4)	Transposition of arteries				
39.	One	of the following is <i>not</i> an alert sig	n in a ne	ew-born with jaundice :		
	(1)	Clinical jaundice appears in the f	irst 24 h	ours of life		
	(2)	Conjugated serum bilirubin < 2 m	ng/dl			
	(3)	Total serum bilirubin > 5 mg/dl/d	ay			
	(4)	Jaundice persists for > 2 weeks				
		T-VII/Sept 2017	0			

OPENNET-VII/Sept. 2017

40.		When the cheek of a new-born is touched along the side of the mouth, the neonate will urn to a side. This reflex is known as					
	(1)	Moro reflex	(2)	Rooting reflex			
	(3)	Startle reflex	(4)	Glabellar reflex			
41.	A ch	ild born to a diabetic mother can ha	ve				
	(1)	Hypoglycemia	(2)	Hyperglycemia			
	(3)	Hyperlipidemia	(4)	Hyperthermia			
42.	Toil	et training should be started for a ba	aby at	the age of			
	(1)	Infant	(2)	Toddler			
	(3)	Pre-school	(4)	School age			
43.	Whi	ch of the following is due to deficien	cy of V	'itamin D in young children ?			
	(1)	Keratomalacia	(2)	Xerophthalmia			
	(3)	Osteomalacia	(4)	Rickets			
44.	The	immediate treatment to treat sever	e dehy	dration is			
	(1)	Give oral fluids	(2)	Give soft diet			
	(3)	Start IV fluids	(4)	Give lemon water			
45.	Foll	owing are the causes of behaviour p	roblen	ns among children except			
	(1)	Parental factors	(2)	Social relationship			
	(3)	Family environment	(4)	Physical health			
46.	Wh	ich of the following is a complication	ofmu	mps ?			
	(1)	Orchitis	(2)	Paralysis			
	(3)	Myocarditis	. (4)	Herpes			
47.	Wh	ich examination is done to confirm I	l'B mei	ningitis ?			
	(1)	Sputum examination	(2)	CSF examination			
	(3)	Spinal tap	(4)	Lumbar puncture			
48.	Wh	ich of the following is the main clini	cal fea	ture of pyloric stenosis ?			
	(1)	Irritability	(2)	Weight loss			
	(3)	Projectile vomiting	(4)	Constipation			
49.	Wh	ich of the following is a treatment o	f choic	e for phimosis ?			
	(1)	Circumcision	(2)	Excision			
	(3)	Penectomy	(4)	Removal of testes			
OP	ENNE	ET-VII/Sept. 2017	9	P.T.O.			

50.	One of the following is a cyanotic congenital heart disease :					
	(1)	Arterial septal defect	(2)	Ventricular septal defect		
	(3)	Pulmonary stenosis	(4)			
51.	Wh	ich hammana atimulatan ayarta	, •			
J 1.		ich hormone stimulates oocyte matur GNRH				
	(1)		(2)	LH		
	(3)	LHRF	(4)	FSH		
52.	Ovu	llation occurs				
	(1)	14 days before next menstruation				
	(2)	one week after menstruation				
	(3)	one week before menstruation				
	(4)	28 days after menstruation				
53.	The	hormone necessary to identify positi	vonr	amanay tast is		
	(1)	Progesterone	(2)	Estrogen		
	(3)	HCG	(4)	Growth hormone		
54.	Iпя	pregnant woman, change in the colo	. ,			
011	(1)	Hegar's sign				
	(3)		(2)	Goodell's sign		
	(0)	Chadwick's sign	(4)	Vaginal sign		
55.	The	height of the uterus at the level of u	mbilic	cus during pregnancy is at		
	(1)	28 weeks	(2)	24 weeks		
	(3)	18 weeks	(4)	16 weeks		
56.	The	importance of prostaglandins in onse	et of la	abour is to		
	(1)	Stimulate expulsion of fetus				
	(2)	Stimulate uterine muscle activity				
	(3)	Reduce uterine muscle activity				
	(4)	Help in placental expulsion				
57.	Imm	ediate nursing action after rupture o	of mer	nbrane is to		
	(1)	Listen to FHS	(2)	Call the doctor		
	(3)	Observe contraction	(4)	Take blood pressure		

OPENNET-VII/Sept. 2017

- 58. The earliest sign of placental separation is
 - (1) Sudden gush of blood flow per vagina
 - (2) Change in shape of uterus
 - (3) Increased height of fundus
 - (4) Shock
- 59. First stage of labour is up to
 - (1) Rupture of membrane
 - (3) Full dilation of cervix
- (2) $3/5^{\text{th}}$ dilation of cervix
- (4) Crowning of head
- 60. Post-partum period begins after
 - (1) Expulsion of placenta
 - (2) Expulsion of fetus
 - (3) Discharge from hospital
 - (4) 40 days after delivery
- 61. Post-partum vaginal discharge containing blood, mucous and placental tissue is known as

(1)	Lochia	(2)	Show
(3)	Liquor	(4)	PPM

62. After delivery, the involution process takes

(1)	24 days	(2)	6 weeks
(3)	6 days	(4)	18 weeks

- 63. Spina bifida occurs due to
 - (1) Accumulation of blood in the brain (2) Neural tube defect
 - (3) Myometrium is affected (4) Defect of pericranium

64. If the LMP of a woman is June 20, EDD as per Naegele's rule is

- (1) February 2 (2) March 10
- (3) March 27 (4) October 14
- 65. Morning sickness during early pregnancy is due to
 - (1) Increased HCG hormone (2) Increased acidity
 - (3) Increased progesterone level (4) Emotional factors

OPENNET-VII/Sept. 2017

11

P.T.O.

66.	Bel	l's palsy is disorder of		
	(1)	Cranial nerve IV	(2)	Cranial nerve VII
	(3)	Cranial nerve IX	(4)	Cranial nerve X
67.	Abr	normal accumulation of fluid in pleu	ural spa	ce is called
	(1)	Pleural embolism	(2)	Pleural effusion
	(3)	Pleural infusion	(4)	Empyema
68.	The	e pigment responsible for skin tanni	ing is	
	(1)	Carotene	(2)	Red blood cells
	(3)	Melanin	(4)	Sebum
69.	Cre	tinism occurs as a result of		
	(1)	Hypothyroidism	(2)	Hyperthyroidism
	(3)	Hyperparathyroidism	(4)	Hypoparathyroidism
70.	Inc	reased uric acid level is found in		
	(1)	Wilson's disease	(2)	Rheumatic fever
	(3)	Parkinson's disease	(4)	Gout
71.	The	condition in which stones are locat	ed in th	e common bile duct is
	(1)	Biliary Cirrhosis		
	(2)	Cholelithiasis		
	(3)	Choledocholithiasis		
	(4)	Jaundice		
72.	The	artery commonly affected during M	/lyocard	ial infarction is
	(1)	Renal Artery	(2)	Coronary Artery
	(3)	Hepatic Artery	(4)	Carotid Artery
73.	In h	ead injury Mannitol is given to		
	(1)	Prevent seizures	(2)	Treat headache
	(3)	Decrease intracranial pressure	(4)	Decrease urine output
74.	Sho	ck caused by severe allergic reaction	n is	
	(1)	Neurogenic shock	(2)	Anaphylactic shock
	(3)	Septic shock	(4)	Cardiogenic shock
		T-VII/Sept. 2017		-

75.	Cardiac Troponin level helps in diagnosis of					
	(1) Myocardial infarction	(2)	Congestive cardiac failure			
	(3) Ventricular tachycardia	(4)	Atrial fibrillation			
76.	The commonest form of dementia is					
	(1) Alzheimer's disease	(2)	Parkinson's disease			
	(3) Vascular dementia	(4)	Mixed dementia			
77.	Pain and tenderness in the region of s	ymphysia	s pubis is indicative of			
	(1) Pelvic fracture	(2)	Spinal fracture			
	(3) Femur fracture	(4)	Rib fracture			
78.	The condition directly related to bone	marrow	suppression is			
	(1) Anemia	(2)	Sickle cell anemia			
	(3) Aplastic anemia	(4)	Megaloblastic anemia			
79.	To estimate the percentage of burns c	aused for	an individual, a nurse should			
	(1) Use the Rule of Nine	(2)	Measure the area			
	(3) Measure the extent of pain	(4)	Measure the extent of bleeding			
80.	The term used for the process of RBC	formatio	n is			
	(1) Apoptosis	(2)	Hemodialysis			
	(3) Erythropoiesis	(4)	Hematopoiesis			
81.	The first aid measure for a person with chemical in his eye is					
	(1) Wash eye thoroughly with water	•				
	(2) Put eye drops					
	(3) Rub the eye					
	(4) Bandage the eye					
82.	The part of the eye that is similar to a	a film ins	ide the camera is			
	(1) Cornea	(2)	Lens			
	(3) Retina	(4)	Conjunctiva			
83.	During ECT, current is passed for		,			
	(1) 5 to 10 seconds	(2)	10 to 30 seconds			
	(3) 0.3 to 0.7 seconds	(4)	1 to 3 seconds			
OP	ENNET-VII/Sept. 2017	13	Ρ.	T.O .		

- 84. Behaviour analysis is based upon the principle of
 - (1) Classical conditioning
 - (2) Operant conditioning
 - (3) Dream analysis
 - (4) Cognitive behaviour

85. Hysteria is a

- (1) Mood disorder
- (2) Neurotic disorder
- (3) Psychotic disorder
- (4) Personality disorder
- 86. The flight of ideas is seen in
 - (1) Mania
 - (2) Depression
 - (3) Mental retardation
 - (4) Compulsive disorder
- 87. Hallucination is a disorder of
 - \cdot (1) Perception
 - (2) Thought
 - (3) Consciousness
 - (4) Behaviour

88. The most common drug used in the treatment of mania is

- (1) BDZ (2) Lithium
- (3) Imipramine (4) Serenace

89. Extreme agitation related to dementia is referred as

- (1) Acute stress reaction
- (2) Conversion reaction
- (3) Catastrophic reaction
- (4) Manic reaction

90. Delusion is *not* present in

- (1) Mania
- (2) Delirium
- (3) Depression
- (4) Compulsive disorder
- **91.** Alcohol dependence is indicated by
 - (1) Black-out
 - (2) Early morning drinking
 - (3) Withdrawal symptoms
 - (4) Physical discomfort

92. Suicidal tendency is seen is

- (1) OCD
 (2) Depression
 (3) Mania
 (4) Anxiety disorder
- 93. The basic difference between psychosis and neurosis is
 - (1) Clinical features
 - (2) Severity
 - (3) Insight
 - (4) Duration of illness

94. ADHD is a childhood disorder also known as

- (1) Hyperkinetic disorder
- (2) Hypokinetic disorder
- (3) Hyperactivity disorder
- (4) Hypoactive disorder
- 95. Psychoanalysis was founded by
 - (1) Aristotle
 - (3) S. Freud

- (2) Hippocrates
- (4) Ivan Pavlov

OPENNET-VII/Sept. 2017

96. Pulse rate above the normal rate is called

- (1) Tachypnea
- (2) Hyperpyrexia
- (3) Arrhythmia
- (4) Tachycardia
- 97. Exchange of gases takes place in
 - (1) Kidney (2) Lungs
 - (3) Liver (4) Heart

98. The chamber of the heart which receives oxygenated blood from the lungs is the

- (1) Left Atrium
- (2) Right Atrium
- (3) Left Ventricle
- (4) Right Ventricle

99. A nurse administrator who involves other nurses in decision-making is an example of

- (1) Laissez faire leadership
- (2) Authoritarian leadership
- (3) Democratic leadership
- (4) Autocratic leadership

100. The best position for examining the rectum is

- (1) Prone
- (2) Sims'
- (3) Knee-chest
- (4) Lithotomy

101. An agent that kills micro-organisms is

- (1) Antiseptic
- (2) Bacteriostatic
- (3) Bacteriocidal
- (4) Dettol

102. Difficulty in swallowing is termed as

- (1) Dysphagia
- (2) Xerostomia
- (3) Hemoptysis
- (4) Hypoxemia

103. The first step in beginning any nursing procedure is to

- (1) Collect equipment
- (2) Wash hands
- (3) Provide privacy
- (4) Put on gloves
- 104. A patient has a pressure sore on the back of her right hip and the bone is exposed. This pressure sore is in
 - (1) Stage I
 - (2) Stage II
 - (3) Stage III
 - (4) Stage IV

105. A nurse should use the following technique to change a dressing after surgery :

- (1) Isolation
- (2) Aseptic technique
- (3) Clean technique
- (4) Respiratory isolation

106. Which one of the following is a tool used by a nurse administrator for supervision?

- (1) Observation
- (2) Anecdotal record
- (3) Rating
- (4) Questioning

107. Which blood group is called a universal donor?

- (1) O +ve (2) AB +ve
- (3) A +ve (4) B +ve

OPENNET-VII/Sept. 2017

17

P.T.O.

108. Sublingual medication should be administered

- (1) Into an endotracheal tube
- (2) Under the patient's skin
- (3) Under the subcutaneous layer
- (4) Under the patient's tongue

109. The position to be given to an unconscious patient for mouth care is

- (1) Fowler's
- (2) Side lying
- (3) Supine
- (4) Trendelenburg

110. Which one of the following procedures always requires surgical asepsis?

- (1) Vaginal installation of medication
- (2) Urinary catheterization
- (3) Nasogastric tube insertion
- (4) Colostomy irrigation
- 111. Ivan Pavlov has given the theory of
 - (1) Classical conditioning
 - (2) Operant conditioning
 - (3) Motivation
 - (4) Catharsis

112. Hierarchy of needs is explained by

- (1) Abraham Maslow
- (2) Ivan Pavlov
- (3) Jean Piaget
- (4) Carl Rogers

113. The IQ level of a child with moderate mental retardation is

- (1) 50 70
- (2) 35 55
- $(3) \quad 20 30$
- $(4) \quad less than 20$

114. False perception with external stimuli is called

- (1) Illusion
- Delusion (3)
- 115. Frustration is directly associated with
 - (2) (1) Problem
 - (4) Goal (3)

116. The primary level of child socialization is

- (1)Family
- (2) School
- (3) Playground
- Community (4)

117. Social psychology deals with

- (1) Human behaviour
- **Different cultures** (2)
- **Religious values** (3)
- **Negative feelings** (4)

118. Developmental change that occurs across all stages of life is known as

- Early stage approach (1)
- (2) Life cycle approach
- (3) Maturity approach
- (4) Life experience approach

119. The highest form of thinking to find out causes that predict effect is known as

- Reasoning (1)
- Problem solving (2)
- Decision-making (3)
- (4) **Resolving conflict**

120. A situation where a supervisor gives some of her work to her subordinate is known as

- Delegation Authority (2) (1)
- Decentralization (4) (3) Responsibility

OPENNET-VII/Sept. 2017

Intellect

(2)

(4)

Hallucination

- Anxiety
- Tension