No. of Printed Pages: 16 BNS-041

CERTIFICATE IN COMMUNITY HEALTH FOR NURSES (BPCCHN)

Term End Examination,

December, 2020

BNS-041: FOUNDATIONS OF COMMUNITY HEALTH

Time: 3 Hours Maximum Marks: 70

GENERAL INSTRUCTIONS

- 1. All questions are **compulsory**. Each question carries **1** mark.
- 2. No cell phones, calculators, books, slide-rules, notebooks or written notes, etc. will be allowed inside the examination hall.
- 3. You should follow the instructions given by the Centre Superintendent and by the Invigilator at the examination venue. If you violate the instructions, you will be disqualified.
- 4. Any candidate found copying or receiving or giving assistance in the examination will be disqualified.
- 5. The Question Paper and the OMR Response Sheet (Answer Sheet) would be supplied to you by the Invigilators. After the examination is over, you should hand over the OMR Response Sheet to the Invigilator before leaving the examination hall. Any candidate who does not return the OMR Response Sheet will be disqualified and the University may take further action against him/her.
- 6. All rough work is to be done on the question paper itself and not on any other paper. Scrap paper is not permitted. For arriving at answers you may work in the margins, make some markings or underline in the test booklet itself.
- 7. The University reserves the right to cancel the result of any candidate who impersonates or uses/adopts other malpractices or uses any unfair means. The University may also follow a procedure to verify the validity of scores of all examinees uniformly. If there is substantial indication that your performance is not genuine, the University may cancel your result.

How to fill up the information on the OMR Response Sheet (Examination Answer Sheet)

- 1. Write your complete Enrolment No. in 9 digits. This should correspond to the enrolment number indicated by you on the OMR Response Sheet. Also write your correct name, address with pin code in the space provided. Put your signatures on the OMR Response Sheet with date. Ensure that the Invigilator in your examination hall also puts his signatures with date on the OMR Response Sheet at the space provided.
- 2. On the OMR Response Sheet student's particulars are to be filled in by blue/black ball pen also. Use blue/black ball pen for writing the Enrolment No. and Examination Centre Code as well as for blackening the circle bearing the correct answer number against the serial number of the question.
- 3. Do not make any stray remarks on this sheet.
- 4. Write correct information in numerical digits in Enrolment No. and Examination Centre Code Columns. The corresponding circle should be dark enough and should be filled in completely.
- 5. Each question is followed by four probable answers which are numbered (1), (2), (3) and (4). You should select and show only one answer to each question considered by you as the most appropriate or the correct answer. Select the most appropriate answer. Then by using blue/black ball pen, blacken the circle bearing the correct answer number against the serial number of the question. If you find that answer to any question is none of the four alternatives given under the question, you should darken the circle with '0'.
- 6. No credit will be given if more than one answer is given for one question. Therefore, you should select the most appropriate answer.
- 7. You should not spend too much time on one question. If you find any particular question difficult, leave it and go to the next. If you have time left after answering all the questions, you may go back to the unanswered question.
- 8. There is no negative marking for wrong answers.

BNS-042 (2)

BNS-	-041		(3)		Lot-I
	(3)	Measles	(4)	Scabies	
	(1)	Pediculosis	(2)	Chickenpox	
4.	Pim	ple like rashes in the skin folds	with :	severe itching occurs in :	
	(4)	Survery the existing health con	nditio	ns and organization	
	(3)	Organise medical practices			
	(2)	Plan community development p	orogr	ammes	
	(1)	Allocate budget for health facil	ities		
3.	Bho	re committee was constituted wi	th th	e purpose to :	
	(4)	Reduce impairment and Disabi	ility l	imitation	
	(3)	Early diagnosis and Early trea	tmen	t	
	(2)	Early diagnosis and Specific pr	otect	ion	
	(1)	Health promotion and Specific	prote	ection	
2.	Mea	sures to be taken under Primary	y leve	el of prevention are :	
	(4)	Optimum health to severe sick	ness		
	(3)	Free from sickness to moderate	sick	ness	
	(2)	Positive health to death			
	(1)	1) Better health to mild sickness			

Spectrum of health can be expressed as :

1.

5.	Important components of occupational health include all except :			
	(1)	Job satisfaction	(2)	Career ambition
	(3)	Physical health	(4)	Personal performance
6.	Most	common Cancer in India is :		
	(1)	Breast	(2)	Oral
	(3)	Skin	(4)	Axillary
7.	Com	ponents of cultural environment	t inclu	ıde :
	(1)	Personality	(2)	Aptitude
	(3)	Customs and traditions	(4)	Ethics
8.	Gern	n Theory was discovered as a ca	use o	f human disease in 19th century by :
	(1)	Robert Koch and John Snow		
	(2)	Louis Pasteur and Kenneth Rot	thma	n
	(3)	Robert Koch and Louis Pasteur		
	(4)	John Snow and Louis Pasteur		
9.	The	living beings such as human or	anima	als which harbours the disease :
	(1)	Agent	(2)	Host
	(3)	Environment	(4)	Socio-cultural
10.	Theo	ory of web of causation of disease	e mos	tly explains about occurrence of :
	(1)	Communicable diseases	(2)	Nutritional deficiency diseases
	(3)	Non-communicable diseases	(4)	Vaccine preventable diseases

(4)

Lot-I

11.	All (or the following occurs in Fre-par	unoge	nesis phase, except :
	(1)	Agent has entered host		
	(2)	Agent has not entered host		
	(3)	Period before the onset of disea	ise in	host
	(4)	Environmental factors are favo	ourab	le for its interaction with host
12.	Earl	ly diagnosis and adequate treatr	nent	are specific intervention undertaken at :
	(1)	Primary level of prevention	(2)	Secondary level of prevention
	(3)	Primordial level of prevention	(4)	Tertiary level of prevention
13.	Loss	s or damage of a part of body con	ısequ	ent to a disease is known as :
	(1)	Disease	(2)	Disability
	(3)	Handicap	(4)	Impairment
14.	Rest	toration of Anatomical and Phys	iologi	ical functions is a type of:
	(1)	Vocational Rehabilitation	(2)	Medical Rehabilitation
	(3)	Social Rehabilitation	(4)	Emotional Rehabilitation
15.	All	of the following are Job responsi	bilitie	es of Community Health Officer, except :
	(1)	Implementation of National Ho	ealth	programmes
	(2)	Administration and Manageme	ent of	Health and Wellness Center
	(3)	Implementation of Biomedical	Wast	e disposal guidelines
	(4)	Overall Supervision of PHC		

(5)

Lot-I

16.	All	activities are carried out un	nder	National	Vector	Borne	Disease	Control
	prog	gramme except :						
	(1)	Passive Surveillance	(2)	Active S	urveillaı	nce		
	(3)	Collection of Blood smear	(4)	Provide 3	Health I	Educatio	on	
17.	All	are the Roles of Health worker fo	emale	e related t	o immui	nization	except :	
	(1)	TT for Pregnant mother						
	(2)	Treat complications						
	(3)	Immunise children below 5 yea	ars					
	(4)	Maintaining records of immun	izatio	on				
18.	Org	ganization of people, institution	and r	resources 1	to delive	er Healt	h care se	rvices to
	targ	get population is :						
	(1)	Health Care Deliver System	(2)	Commur	nity Hea	lth Syst	em	
	(3)	Health Planning System	(4)	Health E	Economi	c Delive	ry Systen	n
19.	All	of the following characteristics	mus	t be kept	in min	d while	setting §	goals for
	hea	lth planning except :						
	(1)	Priorities	(2)	Realistic	;			
	(3)	Bearable	(4)	Feasible				
20.	Pop	oulation covered by a Sub Center	in hi	lly, tribal	and bac	kward a	area is :	
	(1)	5000	(2)	3000				
	(3)	4000	(4)	2000				

(6)

Lot-I

21.	Full	ll form of AEFI is :			
	(1)	Acute elimination of fever infection	n		
	(2)	Adverse event of fever immunization	on.	ı.	
	(3)	Adverse event of follow up immuni	iza	ation	
	(4)	Adverse events following immuniza	at	ion	
22.	All	the activities are carried out under	· N	National Aids Control Programme (NACP)	
	\mathbf{except} :				
	(1)	Promotion and distribution of cond	loı	ms to high risk groups	
	(2)	Rapid Diagnostic Tests (RDT)			
	(3)	Help patients receiving ART			
	(4)	Prevent Parent to Child Transmiss	sic	on (PPTCT)	
23.	Hea	alth facility maintained by State	Go	overnment having 30 in-door beds with	
	Ope	eration Theater (OT) is:			
	(1)	Community Health Center (CHC)			
	(2)	Primary Health Center (PHC)			
	(3)	Sub-District Hospital			
	(4)	District Hospital			
24.	The	e administrative areas of health serv	ice	es at district level include all except :	
	(1)	Sub divisions (2))	Tehsils	
	(3)	Health directorate (4))	Community development blocks	

(7)

Lot-I

25.	Mos	st important component of social	envi	ronment is:
	(1)	Water	(2)	Occupation
	(3)	Radiation	(4)	Attitude
26.	All	of the following are included in l	Physi	cal environment except :
	(1)	Air and Soil	(2)	Housing and Radiation
	(3)	Rodents and Insects	(4)	Noise and Vibrations
27.	Pair	n in joints, muscles and behind e	eyes a	are characteristic symptoms of :
	(1)	Dengue fever	(2)	Meningitis
	(3)	Encephalitis	(4)	Arthritis
28.	All	of the following are disadvantag	es of	poor housing except :
	(1)	In-door air pollution	(2)	Poor lighting
	(3)	Overcrowding	(4)	Healthy village
29.	Ove	ercrowding causes all of the follo	wing	except :
	(1)	Lifestyle disorders	(2)	Infectious diseases
	(3)	Respiratory infections	(4)	Skin diseases
30.	Min	nimum distance between the	well	and the source of contaminants should
	be:			
	(1)	10 meters	(2)	15 meters or more
	(3)	5 meters	(4)	12 meters

(8)

Lot-I

31.	Water is said to be contaminated when it contains:				
	(1)	Dust particles	(2)	Soil	
	(3)	Impurities	(4)	Pathogens	
32.	Chlo	orine contact time with water be	efore ı	utilizing it for drinking is :	
	(1)	40 minutes	(2)	30 minutes	
	(3)	20 minutes	(4)	10 minutes	
33.	Alte	rnative source of safe water whi	ich ca	n be used for domestic purposes is :	
	(1)	Rainwater	(2)	Springs	
	(3)	Rivers	(4)	Lakes	
34.	All	of the following are immediate	healtl	h hazards which occur due to air pollution	
34.		of the following are immediate in ept:	healtl	h hazards which occur due to air pollution	
34.			healtl	h hazards which occur due to air pollution Allergic rhinitis	
34.	exc	ept :			
34. 35.	(1) (3)	e pt : Irritation of conjunctiva	(2) (4)	Allergic rhinitis Pharyngitis	
	(1) (3)	ept : Irritation of conjunctiva Lung cancer	(2) (4)	Allergic rhinitis Pharyngitis	
	(1) (3) Gen	ept: Irritation of conjunctiva Lung cancer eral measure for prevention of A	(2) (4) Air Po	Allergic rhinitis Pharyngitis Illution is:	
	(1) (3) Gen (1)	ept: Irritation of conjunctiva Lung cancer eral measure for prevention of A Indian Factories Act	(2) (4) Air Po	Allergic rhinitis Pharyngitis Illution is:	

(9)

Lot-I

36.	Type of waste which is mostly non-hazardous is:			
	(1)	Domestic	(2)	Solid
	(3)	Industrial	(4)	Hospital
37.	All	of the following are examples of	Bio-d	egradable substances except :
	(1)	Fruits peeling	(2)	Jute
	(3)	Plastic bag	(4)	Tea leaves
38.	Mix	ture of Human waste with waste	e wat	er is known as :
	(1)	Sullage	(2)	Liquid waste
	(3)	Sludge	(4)	Sewage
39.	All	of the following signs and sympt	oms a	are due to Pesticide poisoning except :
	(1)	Gastrointestional—Vomiting	(2)	Cardiovascular—Chest pain
	(3)	Neurological—Coma	(4)	Respiratory Tract Infections
40.	Maj	ority of the pesticide injuries car	n be p	revented by the use of :
	(1)	Complete set of Personal Prote	ctive	Equipment (PPE)
	(2)	Gloves and Apron		
	(3)	Face shield and Apron		
	(4)	Apron and Respirator		
41.	All	of the following are uses of Epide	emiol	ogy except :
	(1)	Study natural history of diseas	e	
	(2)	Provide curative treatment		
	(3)	Make a community diagnosis		
	(4)	Assess risk factors of diseases	in por	oulation

42.	All of the following are rich sources of Vitamin A except:					
	(1)	Carrot	(2)	Papaya		
	(3)	Amla	(4)	Green leafy vegetables		
43.	Vita	min B_{12} helps in :				
	(1)	Carbohydrate, fat and protein	metal	bolism		
	(2)	Absorption of Iron				
	(3)	Prevention of Diarrhea				
	(4)	Production of Red Blood Cells				
44.	Neu	ral Tube Defects in Foetus can	be pre	evented by administration of:		
	(1)	Cyanocobalamin	(2)	Folic acid		
	(3)	Ascorbic acid	(4)	Pyridoxine		
45.	Diet	plan for elderly person should i	includ	le all except :		
	(1)	Restricted fluid	(2)	Plenty of fluids		
	(3)	Highfibre diet	(4)	Stick to meal and snack times		
46.	Ant	hropometry involves physical m	easur	ements of an individual's :		
	(1)	Clinical signs				
	(2)	Enlargement of thyroid gland				
	(3)	Height and weight measureme	ents			
	(4)	Knee jerks and calf tenderness	5			

47.	. Mid day meal program aims at improving the health of:					
	(1)	Infants	(2)	Toddler		
	(3)	Preschool children	(4)	School children		
48.	ICD	S stands for :				
	(1)	Integrated Child Development	Sche	me		
	(2) Integrated Child Development Supplementation					
	(3) India's Child Development Supplementation					
	(4)	Integrated Child Development	Syste	em		
49.	Milk	x production reflex is also known	as:			
	(1)	Let down reflex	(2)	Sucking reflex		
	(3)	Prolactin reflex	(4)	Milk ejection reflex		
50.	Colo	strum is rich in :				
	(1)	Iron	(2)	Antibodies		
	(3)	Vitamin C	(4)	Riboflavin		
51.	Intr	oduction of semisolid foods to th	e bab	y should start after :		
	(1)	Six months of age	(2)	Five months of age		
	(3)	Four months of age	(4)	Seven months of age		
52.	Mid	Arm Circumference (MAC) for a	a heal	thy child between 1 and 5 years of age is :		
	(1)	Less than 12.5 cm	(2)	Less than 11.5 cm		
	(3)	Between 12.5 cm to 13.5 cm	(4)	More than 13.5 cm		
BNS-	041		(12)	Lot-I		

53.	. One of the following is related to food borne intoxication :							
(1) Multiply within the linings of the intestine								
	(2)	Incubation period is minutes to hours						
	(3)	Incubation period is hours to da	ays					
	(4)	Can spread via the faeco-oral r	oute					
54.	Mill	x adulteration is done with all of	the f	following products except :				
	(1)	Fertilizers	(2)	Bleaching powder				
	(3)	Detergents	(4)	Adding fats				
55.	Key	s to safer food are all except :						
	(1)	Keep food at 5°C to 60°C	(2)	Keep clean				
	(3)	Separate raw and cooked foods	(4)	Use safe water and raw material				
56.	Bac	teria that lead to contamination	of the	e cracked egg is :				
	(1)	E. coli	(2)	Salmonella				
	(3)	Staphylococcus	(4)	Streptococcus				
57.	All	of the following are the behaviou	ral di	sorders except :				
	(1)	HIV-AIDS	(2)	Non-communicable diseases				
	(3)	STDs and RTIs	(4)	Congenital disease				
58.	All	of the following are self directed	healt	h behaviours except :				
	(1)	Diet	(2)	Exercise				
	(3)	Smoking	(4)	Screening				
BNS-	041		(13)		Lot-l			

59.	9. A model focusing on attitude and beliefs of individuals is known as :			
	(1)	Goal attainment model	(2)	Health belief model
	(3)	Roys adaptation model	(4)	Self care model
60.	Soft	skill that relates to honesty, eth	ics, p	personal values is called as :
	(1)	Integrity	(2)	Positive attitude
	(3)	Responsibility	(4)	Adaptability
61.	All o	of the following are the examples	s of w	ork ethic except :
	(1)	Loyality	(2)	Imitative
	(3)	Getting along with others	(4)	Self motivated
62.	Step	s of Problem Solving include all	of the	e following \mathbf{except} :
	(1)	State the problem	(2)	Evaluate the ideas
	(3)	Specify the objectives	(4)	Create imaginative alternatives
63.	Esco	ort services in the community are	e prov	vided by :
	(1)	Anganwadi worker	(2)	ANM
	(3)	ASHA	(4)	Volunteer
64.	Rapi	id diagnostic test is performed b	y hea	lth worker for diagnosis of :
	(1)	Pneumonia	(2)	Gonorrhea
	(3)	Diarrhoea	(4)	Malaria

(14)

Lot-I

65.	. Skin patches with loss of sensation is a suspected case of :			
	(1)	Dropsy	(2)	Skin cancer
	(3)	Leprosy	(4)	Herpes
66.	Leader is a person who:			
	(1)	Coaches a team	(2)	Delivers vision
	(3)	Do things right	(4)	Inspire vision for the future
67.	One of the following qualities of a good leader relates with emotional maturity :			
	(1)	Moodiness	(2)	Takes pro-active role
	(3)	Irritability	(4)	Angry outburst
68.	A leader who does not permit any participation from team members is :			
	(1)	Authoritarian leader	(2)	Democratic leader
	(3)	Charismatic leader	(4)	Laissez-faire leader
69.	A process that promotes quality at all levels of health system is a kind of:			
	(1)	Traditional supervision	(2)	External supervision
	(3)	Supportive supervision	(4)	Internal supervision
70.	All of the following actions will take place after the supervision except: (1) Actions and decision are recorded (2) Irregular follow up and no problem solving (3) Monitoring of weak areas and improvement (4) Follow up on prior visits and problem			

Rough Work