00613

B.Sc. IN ANAESTHESIA AND CRITICAL CARE TECHNOLOGY (BACT)

Term-End Examination June, 2012

BAHI-077: REGIONAL ANAESTHESIA

Time: 3 hours Maximum Marks: 70

PART-A

- 1. Choose the most appropriate answer: 1x10
 - (a) Adrenaline is added to local anaesthetic to:
 - (i) Increase the duration of action
 - (ii) Prevent hypotension
 - (iii) Prevent Cardiac arrest
 - (b) Following block is not adequate for inguinal herniography:
 - (i) Epidural block
 - (ii) Spinal block
 - (iii) Saddle block
 - (c) The name of the epidural needle is:
 - (i) Whitacre needle
 - (ii) Quincke's needle
 - (iii) Tuohy's needle

(d)	Bupivacaine used for spinal anaesthesia contains :		
	(i)	Dextrose	
	(ii)	Sodium Chloride	
	(iii)	Sodium Bicarbonate	
(e)	Spinal cord ends in children at :		
	(i)	L_1	
	(ii)	L_2	
	(iii)	L_3	
(f)	Adrenaline is used as an adjuvant in the concentrations of with local anaesthetic drugs.		
	(i)	1:200,000	
	(ii)	1:1000	
	(iii)	1:10,000	
(g)	The number of vertebrae in the human spine is:		
	(i)	24	
	(ii)	30	
	(iii)	33	
(h)	Subarachnoid space is indentified by :		
	(i)	Cerebrospinal fluid	
	(ii)	cutinal blood	
	(iii)	Venous blood	
(i)	The most common immediate complication of spinal anaesthesia is :		
	(i)	Headache	
	(ii)	Hypertension	
	(iii)	Hypotension	

		(i) 2 - 3 mg /kg
		(ii) 5 - 7 mg/kg
		(iii) 3 - 5 mg /kg
2.	Eill i	n the blanks :
~ .		1710
	(a)	Line joining the highest point of iliac crest
		corresponds to space.
	(b)	Epidural set can be sterilized by
	(c)	Local anaesthetic commonly used for labour
		analgesia is
	(d)	The pencil point special needle is called
	(e)	is avoided along with the local
		anaesthetic agent in digital and penile
		blocks.
	(f)	Saddle block is given in the
		position.
	(g)	Epidural catheter has opening at the
	(h)	EMLA cream is applid at least
		hour before the I. V. access in children.
	(i)	Block is useful for pain relief
	()	for fracture ribs.
	(j)	Lower spinal nerve roots are called
	07	

3

P.T.O.

Safe dose of Bupivacaine for peripheral

(j)

BAHI-077

nerve block is:

PART-B

Describe any five of the following. Each carries 10x510 marks:

- Indications and contraindication of neurodial 3. block.
- Complications and treatment of epidural block. 4.
- Packing and sterilization of a spinal set. 5.
- Anatomy of sacral bone and caudal block. 6.
- Management of complications of hypotension 7. after spinal anaesthesia for caesarian section.
- 8. Complications of brachial plexus block and their management.
- Procedure of Intravenous Regional Anaesthesia. 9.