## B.Sc. IN ANAESTHESIA AND CRITICAL CARE TECHNOLOGY (BACT)

Term-End Examination 00373

June, 2012

BAHI-078 : ANAESTESIA FOR SURGICAL SPECIALITIES

Time	e : 3 H	ours Maximum Marks : 70	
		SECTION-I	
Cho	ose th	e most appropriate answer: 1x10=10	
1.	less	ric fluid move than ml with a pH of than if aspirated can cause severe nonary damage.	
•	(a)	50 ml - 2.5	
	(b)	25 ml - 2.5	
	(c)	10 ml - 3.5	
2.	APGAR scoring in the new born is done at:		
	(a)	1min and 5min of birth.	
	(b)	1min and 10min of birth.	
	(c)	5min and 10min of birth.	

3.	No	rmal Intra Ovular Pressure (IOP) is :	
	(a)	2-10 mm of Hg	
	(b)	10-20mm of Hg	
	(c)	less than 2mm of Hg	
4.	ARDS seen after long bone fracture is due to :		
	(a)	Amniotic fluid embolism	
	(b)	Fat embolism	
	(c)	Thromboembolism	
5.	Most important monitoring in laproscopic surgery is:		
	(a)	Neuro muscular monitoring	
	(b)	Temperature monitoring	
	(c)	ETC <sub>02</sub> monitoring	
6.	Pre eclampsia comprisis of :		
	(a)	Oedema, hypertension and proteinemia	
	(b)	Oedema, glycosuvia and convulsion	
	(c)	Oedeima, glycosuvia and anaemia	
7.	Inhalational agent of choice in neuvosurgery :		
	(a)	Enfluvane	
	(b)	Isoflurane	
	(c)	Halothane	

- **8.** When parathyroid glands are accidently removed following thyriodectomy patient suffers from :
  - (a) Hyponatremia
  - (b) Hypokalemia
  - (c) Hypocalcemia
- **9.** Biers block is:
  - (a) Total intravenous anaesthesia (TIVA)
  - (b) Intravenous regional anaesthesia (IVRA)
  - (c) General anaesthesia
- **10.** Ideal position for laproscopic assisted vaginal Hysterectomy is:
  - (a) Trendelenburg
  - (b) Reverse Trendelenburg
  - (c) Trendelenburg with lithotomy

## **SECTION-II**

Fill in the blanks.

1x10=10

(a)	Pulmonary aspiration syndrome in pregnant woman is also called as
(b)	The expanded form of ARDS
(c)	The drug used for Bier's block is
(d)	degree left uterine tilt is maintained to prevent supine hypotension syndrome in pregnant patient.
(e)	tube is used in adenoid surgery.
(f)	Negative preessure ofkpa should be adequate for sectioning of any viscous material from tracheo bronchial tree.
(g)	After tonsillotomy patients are shifted to recovery room in the position to prevent aspiration.
(h)	Bronchoscopy for foreign body removal in childrens is done underanaesthesia.
(i)	position reduces bleeding in head and neck surgeries
(j)	Thyroid stimulating hormone is secreted by the

## SECTION-III

## Answer any five of the following:

10x5=50

- (a) Labour analgesia
- (b) General anaesthesia for an emergency laparotomy.
- (c) Comparison of regional anaesthesia and general anaesthesia for caesarian section
- (d) Management of anaesthesia for a post operative bleeding tonsils
- (e) Enumerate the problems in joint replacement surgery and the precautions taken for it
- (f) Anasthetic technique for laparoscopic surgery
- (g) The steps of anaesthesia and management for an emergency surgery in a 2 year old for penetrating eye injury.