No. of Printed Pages: 6

Time: 3 Hours

BAHI-074

B.Sc. IN ANAESTHESIA AND CRITICAL CARE TECHNOLOGY (BACT)

Term-End Examination

00659

Maximum Marks: 70

June, 2013

BAHI-074 : ICU MANAGEMENT, CPR AND TRAUMA LIFE SUPPORT

Note	•		pose the most appropriate answer. Answ question in this section.	eı
			PART - A	
1.	Cho	oose th	ne most appropriate answer. $1x10=1$	10
	(a)		test used to assess cause of chest pain	
			patient in ICU is	
		(i)	ECG	
		(ii)	ABG	
		(iii)	Haemoglobin	
	(b)	All a	are safety features of a high pressure	
			em except :	
		(i)	Pinindex system	
		(ii)	-	
		(iii)		
		(iv)	Cylinders color coded	

(c)	The normal inspiratory to expiratory time			
	(ratio)	set in a ventilator in adults is:		
	(i)	1:2		
	(ii)	1:3		
	(iii)	1:4		
(d)	Heart	rate in ventricular fibrillation is :		
	(i)	less than 60/min		
	(ii)	more than 200/min		
	(iii)	no pulse		
(e)	The fi	rst device to be put on a patient when		
	he is	taken in the operating room is :		
	(i)	Pulse oximeter		
	(ii)	Capnograph		
	(iii)	ECG		
	(iv)	Noninvasive blood pressure		
(f)	Gold	man vaporizer is a small and simple		
	appa	ratus used mainly for which		
	inhal	ational agent :		
	(i)	Halothane		
	(ii)	Sevoflurane		
	(iii)	Isoflurane		
(g)	Inter	national color coding for 20G cannula		
	is:			

(i)

(ii)

(iii)

Pink

Green

Grey

(h)	Which of the following intravenous fluids is a colloid?					
	(i)	Hetastarch				
	(ii)	Ringerlactate				
	(iii)	Dextrosaline				
(i)	"Black eye" is seen after :					
	(i)	Fracture ribs				
	(ii)	Fracture humerus				
	(iii)	Fracture skull bones				
(j)	Diag	gonal artery is a branch of :				
	(i)	PDA				
	(ii)	Circumflex				
	(iii)	LAD				
	(iv)	OM				
Fill i	n the l	blanks :	1x10=10			
(a)	The expanded form of ARDS is					
(b)	When we give PEEP, the blood pressure					
(c)	Most effective treatment for Atrial fibrillation is					
(d)	Calcium channel blocker used commonly for treatment of arrhythmias is					
e)	Capillary refill time is an assessment of					

2.

(f)	is known as the universal donor
	group.
(g)	Fracture ribs causes pain
(h)	The Tectype vaporiser used for Desflurane
` ,	is Tec·
(i)	Preferred local anaesthetic for local
` '	infiltration is
(j)	The type of sodalime used in anaesthesia
07	machine is of variety.

PART - B

Answer *any six* of the following. Each carries 5 marks. 5x6=30

- 3. What steps will you take to ensure aseptic conditions in an ICU ?
- 4. What are the indications for putting a patient on mechanical ventilation ?
- 5. Describe the ACLS Algorithm.
- **6.** Write Aseptic steps to perform a tracheal suction.
- 7. Write important monitoring steps during anaesthesia.
- 8. What drug advice is given during a Pre-anaesthetic check-up?
- Explain the Management of ventricular tachycardia.
- 10. Write about Adult BLS Algorithm.
- 11. Triagings Trimodal distribution of trauma patient.

PART - C

Answer *any two* questions. Each carries 10 marks. 10x2=20

- 12. Describe in detail how you will manage a patient of cardiac arrest in the ICU?
- **13.** Explain the management of a case of ventricular fibrillation.
- 14. How will you manage a case of hip injury admitted in the ICU?