Write a program to implement Trapezoidal rule for approximating the value of 2. definite integral given below :

I =
$$\int_{0.2}^{1} \frac{dx}{\sqrt{5+x}}$$
, using h = 0.2. 20

 $\mathbf{y} = \left(1 - \mathbf{x} + \frac{\mathbf{x}^2}{2!} + \frac{\mathbf{x}^3}{3!} - \frac{\mathbf{x}^4}{4!} + \frac{\mathbf{x}^5}{5!} - \frac{\mathbf{x}^6}{6!} + \frac{\mathbf{x}^7}{7!}\right)$

- out of C, C++, MS-Excel or any other spreadsheet software.
- - The programs may be implemented in any **one** of the programming languages (iv)
- (iii) Rest 10 marks are reserved for viva-voce.

There are two questions in this paper, and both are **compulsory**.

BACHELOR OF COMPUTER APPLICATIONS (Revised) (BCA) **Term-End Practical Examination**

June, 2018

BCSL-058(P)/S1 : COMPUTER ORIENTED NUMERICAL TECHNIQUES LAB

- 1.

(ii) Each question carries 20 marks.

- - Write a program to calculate the value of y using the formula

 $0 < x \le 1$ where

 $n! = n \times (n-1) \times (n-2) \dots 3 \times 2 \times 1$ and for example $7! = 7 \times 6 \times 5 \times 4 \times 3 \times 2 \times 1$

BCSL-058(P)/S1

02185

Time: 1 Hour

Note: (*i*)

Maximum Marks : 50

2,000

20