No. of Printed Pages : 4

BCS-040

BACHELOR OF COMPUTER APPLICATION (BCA) (Revised)

Term-End Examination

BCS-040 : STATISTICAL TECHNIQUES

Time : 2 Hours]

[Maximum Marks : 50

Note: Attempt both Sections i.e. Section-A and Section-B. Attempt any four questions from Section-A. Attempt any three questions from Section-B. Use of nonscientific calculator is allowed.

Section-A

- Given the following sample of 20 numbers: 5
 12, 41, 48, 58, 14, 43, 50, 59, 15, 45, 52, 72, 18, 45, 54, 78, 41, 47, 56, 79
 - (i) Compute mean, variance and standard deviation.
 - (ii) If the largest value in the sample of 20 number given above, is changed to 500, then to what extent the mean and variance will change? Justify your answer.

BCS-040 / 2700 / 4



 A dice is rolled 1200 times with the following *a*results: 5

No. that comes up	1	2	3	4	5	6
Frequency	195	289	202	242	163	109

Test the hypothesis, if the dice is unbiased at 5% level of significance (Given that $\chi^2_{0.05}(5) = 11.07$)

- Calls at a telephone switchboard occur at an average rate of 6 calls per 10 minutes. Suppose the operator leaves for a 5 minutes coffee break. What is the probability that exactly two calls occur while the operator is away?
- 4. Fit a linear trend y = a + b * (Demand), to the data collected from an umbrella manufacturing unit: 5

Month	1	2	3	4	5	6
Demand	46	56	54	43	57	56

- 5. Construct ANOVA table for one-way classification.
- 6. Briefly discuss, any two of the following: 5
 - (i) Goodness of fit test
 - (ii) Binomial distribution
 - (iii) t-test for mean

(2)

BCS-040 /

5

Section-B

- In a partially destroyed laboratory, legible record for correlation analysis of data is preserved as follows:
 - (a) Variance of x = 9
 - (b) Regression equations:
 - (i) 8x 10y + 66 = 0
 - (ii) 40x 18y 214 = 0

Analyse the preserved records and determine:

- (i) The mean of x and y.
- (ii) The coefficient of correlation between x and y.
- (iii) The standard deviation of y.

10

8. The following table shows the sample values of 3 independent normal random variables i.e. X_1, X_2 and X_3 . Assuming that they have equal variance, test the hypothesis that they have the same mean,

by using ANOVA (Given $F_{(2, 9)}^{(0.05)} = 4.26$) 10

X1:	: 13		16	22
X2:	16	8	21	11
X3 :	15	12	25	10

BCS-040 / 0000

(3)

- What do you understand by the term "Time Series"?
 Discuss all the categories in which Time Series is classified.
 10
- Discuss the term "Systematic Sampling".
 Differentiate between Linear and Circular systematic sampling. Give two advantages and limitations of systematic sampling.

—-X----