P.T.O.

OET-011

CERTIFICATE IN SHOE UPPER CUTTING

Term-End Examination June, 2012

OET-011: BASICS OF SHOE UPPER CUTTING

Time: 3 hours		ours	Maximum Marks: 100	
Note	: A	ll questions are compulsory.		
1.	Fill i	n the blanks :	10x1=10	
	(a)	The foot is composed of _bones held together by mu	skeletal	
	(b)	In English size scale child		
	(c)	The hide of skin mainly con		
	(d)	Common natural fibers ar		
	(e)	The formula of cutting		
	(f)	The wastage % in D or is	4 grade leather	
	(g)	The leather purchasing un	it is or	
	(h)	is the best quali leather.	ty region of the	
	(i)	Cutting patterns which are cutting are generally material.		
	(j)	Dies or knives on the base	sis of edges are	

1

2. Match the following: -

Column A			Column B
(a)	Paris point	(i)	1.27(25+English Shoes
			size)
(b)	Layout	(ii)	Cover the front of the
			shoes
(c)	Lather well	(iii)	Walking surface of heel
(d)	Planimeter	(iv)	Conversion of raw H/S
			into preserved form
(e)	Table run	(v)	Tannery's Method of
			grading
(f)	Tanning	(vi)	Instrument used for
,			measuring area
(g)	Vamp	(vii)	Nesting of Pattern of
	-		leather
(h)	Full grain	(viii)	Grain is clearly visible
	leather		
(i)	Medium	(ix)	used for cutting thick
	curve blade		leather
(j)	Top piece	(x)	Area where clicker place
•	- "		leather

3. State True (T) or false (F) in the following: 10x1=10

- (a) English men's size eight is equal to French 42 size.
- (b) Saddles reinforce the shoes from the throat area.

- (c) Toe puff is a stiffener material used in back part of shoes.
- (d) Shank is placed in the outer sole.
- (e) The percentage of protein content in hide and skin is 60 to 70%.
- (f) Post tanning operation of hide and side are called crust.
- (g) The C or 3 grade leather have the cutting value of 91 to 87%.
- (h) Dry and wet rub tests are done on leather to check the finish.
- (i) Sorting is done on the basis of size of skin.
- (j) The lasting allowance in leather upper is 13-15 mm.
- **4.** Write short notes on *any five* of the following:
 - (a) Bottom components of shoe. 5x10=50
 - (b) Vegetable tanning
 - (c) Synthetic material used for shoes making
 - (d) Leather sorting
 - (e) Nesting on corrected grain leather.
 - (f) Type of dies used for machine cutting
 - (g) Parts of the clicking press machine

5. Answer any one of the following: 1x20=20

- (a) Explain the various materials used for making different types of shoes.
- (b) Explain different methods of leather grading.
- (c) Describe the different types of leather based on grain structure.

P.T.O.

जूते की अपर की कटिंग में प्रमाण-पत्र सत्रांत परीक्षा जून, 2012

ओ.ई.टी.-011 : जूते के अपर को काटने का प्रक्रम

समय	7 : 3 E	गण्टे	अधिकतम अंक :100	
नोट —	: ₹	नभी प्रश्नों के उत्तर देना अनिवार्य हैं	1	
1.	रिक्त	स्थानों की पूर्ति कीजिए :-	10x1=10	
	(a)	पैर का निर्माण, हि	यों एवं मांसपेशियों	
		के द्वारा होता है।		
	(b)	अँग्रेजी आकार के मापन में	बच्चे के पैर को	
		मापते है।		
	(c)	स्किन की हाइड मुख्यतयः	/	
		,, पर्त क	ो बनी होती है।	
	(d)	साधारण प्राकृतिक रेशे	है।	
	(e)	कटिंग मूल्य (सी.वी.) का फॉर्मूला	है।	
	(f)	D और 4 ग्रेड चमड़े में व्यर्थ %	है।	
	(g)	चमड़े की खरीददारी की इकाई	और	
		में हैं।		
	(h)	चमड़े की अच्छी गुण	ावत्ता का क्षेत्र है।	

5

OET-011

	(i)	कटिंग पैटर्न, जो	ा हाथ र	ने कटिंग में प्रयोग किये जाते है
		सामान्यतयः		मैटेरियल के बने होते है।
	(j)	डाईज या नाइव्ज	के किन	गरों के आधार पर <u> </u>
		और	है	l
2.	निम्न	लिखित का मिला	न करे :	_ 10x1=10
		कॉलम अ		कॉलम ब
	(a)	पेरिस प्वाइन्ट	(i)	1.27(25+अँग्रेजी शू आकार)
	(b)	लेआउट	(ii)	शू का अगला भाग
	(c)	लेदर वैल	(iii)	हील के चलने की सतह
	(d)	प्लानीमीटर	(iv)	कच्चे H/S का रुपान्तरण संरक्षित
			,	रूप है।
	(e)	टेबल रन	(v)	टेनरीज में ग्रेडिंग का तरीका है।
	(f)	टेनिगं	(vi)	मापने में प्रयोग आने वाला यन्त्र
	(g)	वैम्प	(vii)	चमड़े के पैटर्न की नेस्टिंग
	(h)	फुल ग्रेन चमड़ा	(viii)	ग्रेन पूर्णतया स्पष्ट होती है।
	(i)	मध्यम कर्व	(ix)	मोटे चमड़े की कटिंग के लिए
		ब्लेड		प्रयोग होता है।
	(j)	टॉप पीस	(x)	वह क्षेत्र जहाँ क्लीकर चमड़ा रखता
				है।
3.	निम्न	ालिखित में सही ः	अथवा ग	ालत का चुनाव करें : 10 x1= 10
	(a)	इंग्लिश साइज	सिस्टम	में आदमी का 8 साइज फ्रेन्च के
		42 साइज के ब		
	(b)	जूते के सैडल्स	, गले व	के क्षेत्र को रीइनफोर्स करते हैं।
OET	<u>'_</u> 11			6
CEI	-011	•		

- (c) टो पफ एक स्टीफनर्स उत्पाद है जो जूते के पिछले भाग में प्रयोग किया जाता है।
- (d) शैंक बाहरी सोल में स्थित होता है।
- (e) प्रोटीन की प्रतिशत की माला हाइड और स्किन में 60 से 70% होती है।
- (f) हाइड और साइड का पोस्ट टैनिंग ऑपरेशन क्रस्ट कहलाती है।
- (g) C या 3 ग्रेड चमड़े के किटंग की वैल्यू 91 से 87% होती है।
- (h) सूखे और गीले का रब परीक्षण चमड़े की फिनिश को चेक करने के लिये किया जाता है।
- (i) स्किन के आकार के आधार पर छटाई होती है।
- (j) लास्टिंग अलाउंस 13-15 mm होता है।
- 4. निम्नलिखित में से किन्हीं पाँच पर नोट लिखे :- 5x10=50
 - (a) जूते का बॉटम कम्पोनेन्टस
 - (b) वेजीटेबिल टेनिंग
 - (c) जूता बनाने के लिए सिनथेटिक मैटेरियल का प्रयोग
 - (d) लैदर सॉर्टिंग
 - (e) करेक्टेड ग्रेन चमड़े पर नेस्टिंग
 - (f) मशीन कटिंग के प्रयोग के लिए डाई के प्रकार
 - (g) क्लिकिंग प्रेस मशीन के भाग

- 5. निम्नलिखित में से किसी एक का उत्तर लिखे :- 1x20=20
 - (a) विभिन्न प्रकार के जूते बनाने में प्रयोग आने वाले विभिन्न उत्पादों का वर्णन करो।
 - (b) लेदर ग्रेंडिंग के विभिन्न तरीकों का वर्णन कीजिए।
 - (c) ग्रेन स्ट्रक्चर के आधार पर चमड़े के प्रकारों की व्याख्या कीजिए।