No. of Printed Pages: 4

BFDI-072

Maximum Marks: 50

P.T.O.

CERTIFICATE IN FASHION DESIGN (CFDE)

00544

Time: 2 hours

BFDI-072

Term-End Examination June, 2019

BFDI-072 : BASICS OF PATTERN MAKING AND SEWING

Note: (i) Part A – Attempt \mathbf{six} questions only.

(ii) Part B - Attempt two questions only. PART A 1. What is Flat Pattern Making? Why is Flat Pattern making important? 5 Differentiate between Draping and Drafting. 2. 5 3. Define the following terms: 5 (a) Muslin Selvedge (b)

1

| 4. | types of layout. | | | | |
|-----|---|------------------------------------|--------|-----------------------------------|---|
| 5. | Draw a labelled diagram of the following: | | | | 5 |
| | (a) | Shuttle case | | | |
| | (b) | Sewing machine n | eedle | | |
| 6. | (a) | What is balance unbalanced tension | | nsion ? How can | |
| | (b) | Define stitch size | and SI | PI. | 5 |
| 7. | Match the sewing problems given in Column 1 | | | | |
| • • | with their causes in Column 2. | | | | |
| | | Column 1 | | $Column\ 2$ | |
| | | Sewing Problems | | Causes | |
| | (a) | Needle thread breaking | (i) | Needle too fine for fabric | |
| | (b) | Skipped stitches | (ii) | Upper tension too tight | |
| | (c) | Loop on the top side of work | (iii) | Incorrect threading of machine | |
| | (d) | Bobbin thread breaking | (iv) | Lower tension too loose | |
| | (e) | Needle breaking | (v) | Bobbin unevenly wound or too full | |

| 8. | Fill in the blanks with the correct words: | | | | |
|----|--|--|--|--|--|
| | (a) | When pulling the bobbin thread out from the | | | |
| | | bobbin case, the bobbin should rotate in the | | | |
| | | direction. | | | |
| | (b) | is used to adjust the needle | | | |
| | | thread tension. | | | |
| | (c) | Ideal stitches are formed when the needle's | | | |
| | | thread and bobbin thread are perfectly | | | |
| | | interlocked in the of the cloth. | | | |
| | (d) | While mounting the needle, the needle bar | | | |
| | | should be at the position. | | | |
| | (e) | The finer the fabric, the should | | | |
| | | be the stitch size and should be | | | |

the SPI.

5

PART B

| 9. | a ba imp | down the three steps involved in converting asic pattern to a final pattern. Also list the ortant instructions to be marked on the final tern. | 10 |
|-----|-------------|--|----|
| 10. | (a) | What is Fabric Grain? Explain three different types of grainline with the help of illustration. | 5 |
| | (b) | Describe briefly the properties of different types of grain and their application in apparel construction. | 5 |
| 11. | | the various parts of a sewing machine. lain the functions of any five parts. | 10 |
| 12. | (a) | Why is it important to take correct body measurements? List down the tools required for taking body measurements. | 5 |
| | (b) | Identify and list the set of measurements required for making a basic bodice block and basic sleeve block. | 5 |